

Metal plates acc. to EN 10088-Z cold or hot rolled:

Materials:

AISI 304/L	(DIN 1.4301/7)
AISI 316/L	(DIN 1.4401/4)
AISI 321	(DIN 1.4541)
AISI 316Ti	(DIN 1.4571)
AISI 309	(DIN 1.4828)
AISI 310	(DIN 1.4841)

Certificate:

on request EN 10204 3.1
on request EN 10204 3.1 ADW2

On request: ground surface, polished with foil, perforated etc.

DIN 17440 / 17441	EN 10088	Details
C2 (IIa)	1D	hot rolled, annealed, pickled
n (IIIc)	2B	cold rolled, annealed, pickled
m (IIIId)	2R	cold rolled, bright annealed

Thickness (mm)	Dimensions (mm) / Weight (kg)		
	1000 x 2000	1250 x 2500	1500 x 3000
0,5	8,0	12,5	18,0
0,6	9,6	15,0	21,6
0,8	12,8	20,0	28,8
1,0	16,0	25,0	36,0
1,25 (1,2)	20,0 (19,2)	31,25 (30)	45,0 (43,2)
1,5	24,0	37,5	54,0
2,0	32,0	50,0	72,0
2,5	40,0	62,5	90,0
3,0	48,0	75,0	108,0
4,0	64,0	100,0	144,0
5,0	80,0	125,0	180,0
6,0	96,0	150,0	216,0
8,0	128,0	200,0	288,0
10,0	160,0	250,0	360,0
12,0	192,0	300,0	432,0
15,0	240,0	375,0	540,0
20,0	320,0	500,0	720,0
22,0	352,0	550,0	792,0
25,0	400,0	625,0	900,0
30,0	480,0	750,0	1080,0


Tear plates acc. to DIN 59220 - type „Mandorla“ or „Floor plate“:

Materials:

AISI 304 (DIN 1.4301)
AISI 316Ti (DIN 1.4571)

Certifikát:

na přání dle EN 10204 3.1



Mandorla



Floor plate

Dimensions (mm)	Thickness (mm)	Weight (kg) Mandorla	Weight (kg) Floor plate
1000 x 2000 x	3,0	56,0	54,0
1250 x 2500 x	3,0	88,0	87,0
1000 x 2000 x	4,0	74,0	70,0
1250 x 2500 x	4,0	116,0	110,0
1000 x 2000 x	5,0	89,0	85,0
1250 x 2500 x	5,0	140,0	132,0
1000 x 2000 x	6,0	110,0	104,0
1250 x 2500 x	6,0	172,0	163,0