

Round bars:

Materials:

AISI 304/L	(DIN 1.4301/7)
AISI 316/L	(DIN 1.4401/4)
AISI 321	(DIN 1.4541)
AISI 316Ti	(DIN 1.4571)
AISI 303	(DIN 1.4305)
AISI 316L	(DIN 1.4435)

Details:


round bars cold drawn DIN 671 h9:
round bars hot rolled DIN 1013/7527:

standard length 3-4 m

standard length 5-6 m

Certificate:

on request EN 10204 3.1
on request EN 10204 3.1 ADW2



Ø (mm)	kg / m	Ø (mm)	kg / m
3	0,06	70	30,38
4	0,10	75	34,88
5	0,16	80	39,68
6	0,22	85	44,80
7	0,30	90	50,22
8	0,40	95	55,96
9	0,50	100	62,00
10	0,62	105	68,36
11	0,75	110	75,02
12	0,89	115	82,00
13	1,05	120	89,28
14	1,22	125	96,88
15	1,40	130	104,78
16	1,59	140	121,52
17	1,79	150	139,50
18	2,01	160	158,72
19	2,24	165	168,80
20	2,48	170	179,18
21	2,73	180	200,88
22	3,00	185	212,20
24	3,57	190	223,82
25	3,88	200	248,00
26	4,19	210	273,42
28	4,86	220	300,08
30	5,58	230	327,98
32	6,35	240	357,12
35	7,60	250	387,50
36	8,04	260	419,12
38	8,95	280	486,08
40	9,92	285	503,60
45	12,56	300	558,00
50	15,50	340	716,72
55	18,76	400	992,00
60	22,32	450	1255,50

HOLLOW BAR

str. H14

Hollow bar acc. to DIN 17456 / 17458:

Materials:


AISI 304/L (DIN 1.4301/7)
 AISI 316/L (DIN 1.4401/4)
 AISI 316Ti (DIN 1.4571)

Details:

standard length 2-7 m

Certificate:

on request EN 10204 3.1



outer diameter (mm)	inner diameter (mm)	wall thickness (mm)	kg/m	outer diameter (mm)	inner diameter (mm)	wall thickness (mm)	kg/m	outer diameter (mm)	inner diameter (mm)	wall thickness (mm)	kg/m	
32	25,0	3,5	2,50	76	60,0	8,0	13,40	140	112,0	14,0	43,5	
	20,0	6,0	3,85		58,0	9,0	14,90		106,0	17,0	55,3	
	16,0	8,0	4,74		56,0	10,0	16,30		100,0	20,0	59,2	
36	28,0	4,0	3,40	80	63,0	8,5	15,0		90,0	25,0	70,8	
	25,0	5,5	4,14		50,0	15,0	24,0		80,0	30,0	81,4	
	20,0	8,0	5,52		45,0	22,5	27,0		150	132,0	9,0	31,4
16,0	10,0	6,41	40,0	20,0	29,6	125,0	12,5	42,4				
40	28,0	6,0	5,03	85	45,0	20,0	32,6			112,0	19,0	61,7
	25,0	7,5	6,01		90	71,0	9,5		18,9	106,0	22,0	69,5
	20,0	10,0	7,40			68,0	11,0		23,0	95,0	27,5	83,0
45	35,0	5,0	4,93	63,0		13,5	23,5	80,0	35,0	99,3		
	32,0	6,5	6,17	56,0	17,0	30,6	160	132,0	14,0	50,4		
	30,0	7,5	6,94	50,0	20,0	34,5		120,0	20,0	69,1		
28,0	8,5	7,65	95	50,0	22,5	40,8		112,0	24,0	80,5		
25,0	10,0	8,90		96	66,0	15,0	30,0	170	140,0	15,0	57,3	
20,0	12,5	10,00			100	80,0	10,0		22,2	130,0	20,0	73,9
50	40,0	5,0	5,60			71,0	14,5		30,6	118,0	26,0	93,7
	36,0	7,0	7,42	63,0		13,5	37,2	106,0	33,0	109,0		
	32,0	9,0	9,10	56,0	22,0	42,3	175	145,0	15,0	65,5		
25,0	12,5	11,60	106	85,0	10,5	24,7		180	150,0	15,0	61,0	
56	45,0	5,5		6,95	80,0	13,0			29,8	130,0	25,0	95,6
	40,0	8,0		9,47	71,0	17,5	38,2		125,0	27,5	103,3	
	36,0	10,0	11,30	63,0	18,5	44,8	190	160,0	15,0	64,7		
30,0	13,0	13,90	56,0	25,0	49,9	150,0		20,0	83,8			
28,0	14,0	14,50	108	83,0	12,5	29,5		140,0	25,0	107,8		
25,0	15,5	15,9		112	97,0	7,5	19,3	132,0	29,0	115,0		
20,0	18,0	17,3			90,0	11,0	27,4	123,0	33,5	129,3		
60	44,0	8,0	10,40		80,0	16,0	37,9	200	170,0	15,0	68,8	
	40,0	10,0	12,30	71,0	17,5	46,2	160,0		20,0	90,2		
	63	50,0	6,5	9,06	63,0	24,5	52,9		150,0	25,0	114,8	
45,0		9,0	12,00	118	90,0	14,0	35,9	140,0	30,0	127,7		
40,0		11,5	14,60		80,0	19,0	46,4	212	180,0	16,0	77,8	
36,0	13,5	16,73	71,0		23,5	54,7	170,0		21,0	100,5		
32,0	15,5	18,20	63,0	27,5	61,4	150,0	31,0		138,0			
70	50,0	10,0	14,80	125	100,0	12,5	34,7	130,0	41,0	175,6		
	71	56,0	7,5		11,70	90,0	17,5	46,4	215	170,0	22,5	107,0
		53,0	9,0		13,80	80,0	22,5	56,8		224	180,0	22,0
45,0		13,0	18,60	71,0	27,0	65,3	170,0	27,0			140,9	
40,0	15,5	21,20	132	106,0	13,0	38,2	160,0	32,0	153,8			
36,0	17,5	23,10		90,0	21,0	54,4	140,0	42,0	191,4			
75	60,0	7,5		13,60	80,0	26,0	67,9	250	200,0	25,0	140,9	
	50,0	12,5	20,30	71,0	30,5	76,3						
	40,0	17,5	26,20									

Hexagon bar acc. to DIN 176-h11:

Materials:


AISI 304/L (DIN 1.4301/7)
 AISI 316/L (DIN 1.4401/4)
 AISI 321 (DIN 1.4541)
 AISI 316Ti (DIN 1.4571)

Details:

standard length cca 3-4 m

Certificate:

on request EN 10204 3.1



dimension (mm)	kg / m
6	0,24
7	0,33
8	0,44
9	0,55
10	0,68
11	0,82
12	0,98
13	1,15
14	1,33
15	1,53
17	1,97

dimension (mm)	kg / m
19	2,45
22	3,29
24	3,92
27	4,96
30	6,12
32	6,96
36	8,81
41	11,43
55	20,57
65	28,72

FLAT BARS

str. H16

Flat bars acc. to DIN 1017 / DIN 174:

Materials:


AISI 304/L (DIN 1.4301/7)
 AISI 316/L (DIN 1.4401/4)
 AISI 321 (DIN 1.4541)
 AISI 316Ti (DIN 1.4571)

Details:

standard length cca 4 m

Certificate:

on request EN 10204 3.1



dimension	kg / m	dimension	kg / m	dimension	kg / m	dimension	kg / m	dimension	kg / m
10 x 3	0,236	30 x 12	2,826	50 x 12	4,710	80 x 20	12,56	130 x 20	20,41
10 x 4	0,314	30 x 15	3,533	50 x 15	5,888	80 x 25	15,7	140 x 5	5,495
10 x 5	0,393	30 x 20	4,710	50 x 20	7,850	80 x 30	18,84	140 x 6	6,594
10 x 6	0,471	30 x 25	5,888	50 x 25	9,813	80 x 40	25,12	140 x 8	8,792
12 x 3	0,283	35 x 3	0,824	50 x 30	11,775	80 x 50	31,4	140 x 10	10,99
12 x 4	0,377	35 x 4	1,099	50 x 40	15,700	90 x 5	3,533	140 x 12	13,188
12 x 5	0,471	35 x 5	1,374	60 x 3	1,413	90 x 6	4,239	150 x 5	5,888
12 x 6	0,565	35 x 6	1,649	60 x 4	1,884	90 x 8	5,652	150 x 6	7,065
12 x 8	0,754	35 x 8	2,198	60 x 5	2,355	90 x 10	7,065	150 x 8	9,420
15 x 3	0,353	35 x 10	2,748	60 x 6	2,826	100 x 5	3,925	150 x 10	11,775
15 x 4	0,471	35 x 12	3,297	60 x 8	3,768	100 x 6	4,71	150 x 12	14,13
15 x 5	0,589	35 x 15	4,121	60 x 10	4,710	100 x 8	6,28	150 x 15	17,663
15 x 6	0,707	35 x 20	5,495	60 x 12	5,652	100 x 10	7,85	150 x 20	23,55
15 x 8	0,942	35 x 25	6,869	60 x 15	7,065	100 x 12	9,42	150 x 25	29,438
15 x 10	1,178	35 x 30	8,243	60 x 20	9,420	100 x 15	11,775	150 x 30	35,325
15 x 12	1,413	40 x 3	0,942	60 x 25	11,775	100 x 20	15,7	160 x 6	7,536
16 x 8	1,005	40 x 4	1,256	60 x 30	14,130	100 x 25	19,625	160 x 8	10,048
20 x 3	0,471	40 x 5	1,570	60 x 40	18,840	100 x 30	23,55	160 x 10	12,56
20 x 4	0,628	40 x 6	1,884	60 x 50	23,550	100 x 40	31,40	160 x 12	15,072
20 x 5	0,785	40 x 8	2,512	70 x 5	2,748	100 x 50	39,25	170 x 6	8,007
20 x 6	0,942	40 x 10	3,140	70 x 6	3,297	110 x 5	4,318	170 x 8	10,676
20 x 8	1,256	40 x 12	3,768	70 x 8	4,396	110 x 6	5,181	170 x 10	13,345
20 x 10	1,570	40 x 15	4,710	70 x 10	5,495	110 x 8	6,908	170 x 12	16,014
20 x 12	1,884	40 x 20	6,280	70 x 12	6,594	110 x 10	8,635	180 x 6	8,478
20 x 15	2,355	40 x 25	7,850	70 x 15	8,243	110 x 12	10,362	180 x 8	11,304
25 x 3	0,589	40 x 30	9,420	70 x 20	10,990	120 x 5	4,710	180 x 10	14,13
25 x 4	0,785	45 x 4	1,413	70 x 25	13,738	120 x 6	5,652	180 x 12	16,956
25 x 5	0,981	45 x 5	1,766	70 x 30	16,485	120 x 8	7,536	190 x 6	8,949
25 x 6	1,178	45 x 6	2,120	70 x 40	21,98	120 x 10	9,420	190 x 8	11,932
25 x 8	1,570	45 x 8	2,826	75 x 5	2,944	120 x 12	11,304	190 x 10	14,915
25 x 10	1,963	45 x 10	3,533	75 x 6	3,533	120 x 15	14,13	190 x 12	17,898
25 x 12	2,355	45 x 12	4,239	75 x 8	4,71	120 x 20	18,84	200 x 6	9,42
25 x 15	2,944	45 x 15	5,299	75 x 10	5,888	120 x 25	23,55	200 x 8	12,56
25 x 20	3,925	45 x 20	7,065	75 x 12	7,065	120 x 30	28,26	200 x 10	15,7
30 x 3	0,707	50 x 3	1,178	80 x 5	3,14	130 x 5	5,103	200 x 12	18,84
30 x 4	0,942	50 x 4	1,570	80 x 6	3,768	130 x 6	6,123	200 x 15	23,55
30 x 5	1,178	50 x 5	1,963	80 x 8	5,024	130 x 8	8,164		
30 x 6	1,413	50 x 6	2,355	80 x 10	6,28	130 x 10	10,205		
30 x 8	1,884	50 x 8	3,140	80 x 12	7,536	130 x 12	12,246		
30 x 10	2,355	50 x 10	3,925	80 x 15	9,42	130 x 15	15,308		

Square bars acc. to DIN 178-h11:

Materials:


AISI 304/L (DIN 1.4301/7)
 AISI 316/L (DIN 1.4401/4)
 AISI 321 (DIN 1.4541)
 AISI 316Ti (DIN 1.4571)

Details:

standard length cca 3-4 m

Certificate:

on request EN 10204 3.1



dimensions (mm)	kg / m
6	0,28
7	0,39
8	0,51
9	0,64
10	0,79
12	1,14
13	1,34

dimensions (mm)	kg / m
14	1,55
15	1,78
16	2,02
18	2,56
20	3,16
22	3,82
25	4,94

dimensions (mm)	kg / m
30	7,11
35	9,68
40	12,64
45	16
50	19,75
60	28,44
80	50,56

L-profile:**Materials:**

AISI 304/L (DIN 1.4301/7)
 AISI 316/L (DIN 1.4401/4)
 AISI 316Ti (DIN 1.4571)


Details:

from strip:
 DIN 1028 hot rolled/extruded equal:
 DIN 1029 hot rolled/extruded unequal:
 cold drawn:

Certificate:

on request EN 10204 3.1

length cca 6 m
 length cca 4-6 m
 length cca 4-6 m
 length cca 3-4 m



dimensions (mm)	kg / m
20 x 20 x 3	0,88
25 x 25 x 3	1,12
25 x 25 x 4	1,45
30 x 30 x 3	1,36
30 x 30 x 4	1,78
30 x 30 x 5	2,18
35 x 35 x 4	2,10
40 x 40 x 3	1,813
40 x 40 x 4	2,42
40 x 40 x 5	2,97
50 x 50 x 3	2,284
50 x 50 x 4	3,014
50 x 50 x 5	3,77
50 x 50 x 6	4,47
60 x 60 x 5	4,57
60 x 60 x 6	5,42
70 x 70 x 7	7,38
80 x 80 x 8	9,66
90 x 90 x 9	12,2
100 x 100 x 10	15,0

dimensions (mm)	kg / m
20 x 10 x 3	0,66
25 x 15 x 3	0,88
30 x 15 x 3	1,056
30 x 20 x 3	1,12
30 x 20 x 4	1,45
40 x 20 x 3	1,36
40 x 20 x 4	1,76
45 x 30 x 5	2,673
50 x 30 x 4	2,42
50 x 30 x 5	2,97
60 x 30 x 5	3,564
60 x 40 x 5	3,78
60 x 40 x 6	4,47
80 x 40 x 5	4,57
80 x 40 x 6	5,42
80 x 40 x 8	7,23
100 x 50 x 6	6,78
100 x 50 x 8	9,04
100 x 50 x 10	11,2

U-profile acc. to DIN 1026:

Materials:

AISI 304/L (DIN 1.4301/7)
 AISI 316/L (DIN 1.4401/4)
 AISI 316Ti (DIN 1.4571)


Details:

from strip:
 hot extruded:

Certificate:

on request EN 10204 3.1

length cca 6 m
 length cca 4-7 m



H		B		S		T	kg/m
20	x	10	x	3,0	x	3,0	0,82
20	x	20	x	2,0	x	2,0	0,83
20	x	20	x	3,0	x	3,0	1,30
25	x	15	x	3,0	x	3,0	1,18
25	x	25	x	3,0	x	3,0	1,66
30	x	15	x	3,0	x	3,0	1,30
30	x	15	x	4,0	x	4,0	1,66
30	x	20	x	3,0	x	3,0	1,54
30	x	30	x	2,0	x	2,0	1,31
30	x	30	x	3,0	x	3,0	2,63
30	x	30	x	4,0	x	4,0	2,63
30	x	33	x	5,0	x	7,0	4,30
40	x	20	x	2,0	x	2,0	1,47
40	x	20	x	3,0	x	3,0	1,78
40	x	20	x	4,0	x	4,0	2,30
40	x	30	x	3,0	x	3,0	2,26
40	x	30	x	4,0	x	4,0	2,94
40	x	35	x	5,0	x	7,0	4,80
40	x	40	x	3,0	x	3,0	2,59
40	x	40	x	4,0	x	4,0	3,33
50	x	25	x	3,0	x	3,0	2,26
50	x	25	x	4,0	x	4,0	2,94
50	x	25	x	5,0	x	6,0	4,20
50	x	30	x	3,0	x	3,0	2,50
50	x	30	x	4,0	x	4,0	3,26
50	x	38	x	5,0	x	7,0	5,70
50	x	40	x	3,0	x	3,0	2,98
50	x	40	x	4,0	x	4,0	3,90
50	x	50	x	3,0	x	3,0	3,31
50	x	50	x	4,0	x	4,0	4,29
50	x	50	x	5,0	x	5,0	5,36
60	x	30	x	3,0	x	3,0	2,59
60	x	30	x	4,0	x	4,0	5,74
60	x	30	x	6,0	x	6,0	5,10
60	x	40	x	3,0	x	3,0	6,08

H		B		S		T	kg/m
60	x	40	x	4,0	x	4,0	4,20
60	x	40	x	6,0	x	6,0	6,08
60	x	60	x	6,0	x	6,0	7,22
65	x	42	x	5,5	x	7,5	7,40
80	x	40	x	3,0	x	3,0	5,46
80	x	40	x	4,0	x	4,0	4,60
80	x	40	x	5,0	x	5,0	5,96
80	x	40	x	6,0	x	6,0	7,20
80	x	40	x	8,0	x	8,0	9,60
80	x	45	x	6,0	x	8,0	8,80
100	x	50	x	3,0	x	3,0	4,51
100	x	50	x	4,0	x	4,0	5,89
100	x	50	x	5,0	x	5,0	7,53
100	x	50	x	6,0	x	6,0	8,97
100	x	50	x	6,0	x	8,5	10,60
100	x	50	x	8,0	x	8,0	12,13
120	x	55	x	7,0	x	9,0	13,50
120	x	60	x	6,0	x	6,0	10,90
130	x	65	x	6,0	x	6,0	11,90
140	x	60	x	7,0	x	10,0	16,20
140	x	70	x	7,0	x	7,0	14,90
150	x	75	x	6,0	x	6,0	13,90
150	x	75	x	9,0	x	9,0	20,10
160	x	65	x	7,5	x	10,5	19,10
160	x	80	x	6,0	x	6,0	14,90
160	x	80	x	8,0	x	8,0	19,40

T-profile:

Materials:


AISI 304/L (DIN 1.4301/7)
 AISI 316/L (DIN 1.4401/4)
 AISI 316Ti (DIN 1.4571)

Details:

cold drawn acc. to DIN 59051: length cca 3-7 m
 hot extruded acc. to DIN 1024: length cca 4-7 m

Certificate:

on request EN 10204 3.1



B		H		S	kg/m
20	x	20	x	3	0,86
20	x	20	x	4	1,15
25	x	25	x	3	1,12
25	x	25	x	4	1,35
30	x	30	x	3	1,35
30	x	30	x	4	1,80
35	x	35	x	4	2,10
40	x	40	x	3	1,85
40	x	40	x	4	2,40
40	x	40	x	5	2,40
45	x	45	x	3	2,09
45	x	45	x	4	2,75
45	x	45	x	5	3,81
50	x	50	x	3	2,33
50	x	50	x	4	3,07
50	x	50	x	5	3,81

H		B		S	kg/m
50	x	50	x	6	4,57
60	x	30	x	5,5	3,70
60	x	40	x	4	3,2
60	x	60	x	4	3,7
60	x	60	x	5	4,6
60	x	60	x	6	5,5
70	x	35	x	6	4,7
70	x	70	x	7	6,3
80	x	40	x	7	6,2
80	x	80	x	6	7,3
80	x	80	x	8	9,7
90	x	90	x	9	12,2
100	x	50	x	8,5	9,0
100	x	100	x	10	15,1
120	x	60	x	10	12,8
120	x	120	x	13	25,1

I-profile, type „IPE“ acc. to DIN 1025:

Materials:

AISI 304 (DIN 1.4301)
AISI 316Ti (DIN 1.4571)


Details:

hot extruded:

length cca 3-7 m

Certificate:

on request EN 10204 3.1



H		B		S		T	kg/m
80	x	46	x	3,8	x	5,2	6,2
100	x	55	x	5,7	x	5,7	9,0
120	x	64	x	7,5	x	7,0	12,9
140	x	73	x	4,7	x	6,9	12,9
140	x	73	x	9,0	x	7,0	17,6
160	x	82	x	10,0	x	12,0	26,3

H		B		S		T	kg/m
180	x	91	x	9	x	11	30,2
200	x	100	x	6	x	8	22,1
200	x	100	x	10	x	12	33,4
220	x	110	x	10	x	12	38,0
240	x	120	x	10	x	12	41,0
300	x	150	x	12	x	15	62,8

I-profile, type „IPB“ acc. to DIN 1025:


Materials:

AISI 304 (DIN 1.4301)
AISI 316Ti (DIN 1.4571)

Details:

hot extruded

length cca 3-7 m



H		B		S		T	kg/m
100	x	100	x	6,0	x	8,0	17,2
100	x	100	x	8,0	x	10,0	20,4
120	x	120	x	6,5	x	11,0	28,5
120	x	120	x	10,0	x	12,5	32,4
140	x	140	x	9,0	x	12,0	35,9

H		B		S		T	kg/m
150	x	150	x	8	x	10	32,9
160	x	160	x	10	x	13	43,4
180	x	180	x	15	x	15	64,1
200	x	200	x	8	x	12	50,8
220	x	220	x	10	x	16	72,5
250	x	250	x	9	x	14	73,6
300	x	300	x	10	x	16	100,2