



Inches® Outlet size	3 000 lbs		6 000 lbs	
	C	E	C	E
1/2	90	23,8	90	14,3
3/4	90	30,2	90	19,0
1/2	90	36,5	90	25,0
1 1/4	90	44,5	90	33,0
1 1/2	90	50,8	90	38,0
2	90	65,0	90	43,0

## Reduction of varieties through intelligent construction

A Weldolet size is suitable for various run pipe sizes (applicable also for Thredolet®, Nipolet®, Elbolet®, Latrolet® and Sockolet®)

Table valid for Weldolet® (Standard and Extra Strong), Thredolet® (3 000 lbs) and Sockolet® (3 000 lbs)

Inches® Outlet size	suitable for run pipe									
1/8	3/8	1/2	1-3/4	2 1/2-1 1/4	36-3					
1/4	3/8	1/2	1-3/4	2 1/2-1 1/4	36-3					
3/8	1/2	1-3/4	2 1/2-1 1/4	36-3						
1/2	1/2	3/4	1	1 1/2-1 1/4	2 1/2-2	8-3	36-10			
3/4	3/4	1	1 1/2-1 1/4	2 1/2-2	5-3	12-6	36-14			
1	1	1 1/4	1 1/2	2	2 1/2	3 1/2-3	5-4	10-6	36-12	
1 1/4	1 1/4	1 1/2	2	2 1/2	3 1/2-3	5-4	8-6	18-10	36-20	
1 1/2	1 1/2	2	2 1/2	3	4-3 1/2	6-5	12-8	24-14	36-26	
2	2	2 1/2	3	3 1/2	4	5	6	10-8	18-12	36-20
2 1/2	2 1/2	3	3 1/2	4	5	6	8	12-10	18-14	36-20
3	3	3 1/2	4	5	6	8	10	14-12	20-16	36-24
3 1/2	3 1/2	4	5	6	8	10	14-12	20-16	36-24	
4	4	5	6	8	10	14-12	20-16	36-24		

Table valid for Thredolet® (6 000 lbs) and Sockolet® (6 000 lbs)

Inches®	suitable for run pipe							
1/2	1-3/4	2-1 1/4	6-2 1/2	36-8				
3/4	1	2 1/2-1 1/4	10-3	36-12				
1	1 1/2-1 1/4	2 1/2-2	10-3	36-12				
1 1/4	1 1/2	2 1/2-2	3 1/2-3	8-4	20-10	36-24		
1 1/2	2	2 1/2	3 1/2-3	5-4	8-6	18-10	36-20	
2	2 1/2	3	4	5	6	10-8	20-12	36-24

Table valid for Weldolet® (Schedule 160 & XXS)

Inches®		suitable for run pipe					
1/2	1 1/4-3/4	36-1 1/2					
3/4	1-3/4	2-1 1/4	6-2 1/2	36-8			
1	2 1/2-1 1/4	10-3	36-12				
1 1/4	1 1/2-1 1/4	2 1/2-2	10-3	36-12			
1 1/2	1 1/2	2 1/2-2	3 1/2-3	8-4	20-10	36-24	
2	2	2 1/2	3 1/2-3	5-4	8-6	18-10	36-20