

1 DÍLNÝ NEREZOVÝ KULOVÝ VENTIL S VNĚJŠÍM A VNITŘNÍM ZÁVITEM BSP

1 kus kulového kohoutu z nerezové oceli s vnějším a vnitřním závitem a redukováným průměrem pro chemický průmysl, petrochemický průmysl, hydraulické instalace, vytápění, rozvody vody, stlačený vzduch.
Těsnění a sedlo z PTFE.

Certificate

3.1

**Velikost:** DN1/4" až DN3/4"**Připojení:** vnější/vnitřní závit BSP**Minimální teplota:** -10 °C**Maximální teplota:** +150 °C**Maximální tlak:** 55 barů


Ochrana proti úniku

Redukovaný průtok

Páka s pojistkou

Materiál: Nerezová ocel EN 1.4408

1 DÍLNÝ NEREZOVÝ KULOVÝ VENTIL S VNĚJŠÍM A VNITŘNÍM ZÁVITEM BSP

SIZE (in mm) :

DN	1/4"	3/8"	1/2"	3/4"
Ø P	5	7	9.2	12.8
L	50	55.5	71.5	74
L1	11	11.5	15	16.5
E	77	77	88	88
H	39	39	44	48
Weight (in Kg)	0.1	0.13	0.22	0.34
Ref.	708MF02	708MF03	708MF04	708MF05

1 PIECE STAINLESS STEEL BALL VALVE MALE FEMALE BSP**STANDARDS :**

- Manufacturer certified ISO 9001 : 2015
- DIRECTIVE 2014/68/EU : Products excluded from directive (Article 4, § 3)
- Designing according to EN 12516-2
- Certificate 3.1 on request
- Pressure tests according to API 598
- Threaded cylindrical female BSP ends according to ISO 228-1 and male BSP conical ends according to ISO 7/1 R